

Commercial Product Name:
ALEXIT-Topcoat E 499-ER
with ALEXIT-Härter/Hardener 400 / ALEXIT-Thinner 902-RH

Print Date: 08.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Dry film
499ER7035W ALEXIT-Topcoat E 499-ER
with ALEXIT-Härter/Hardener 400 / ALEXIT-Thinner 902-RH
7035 lichtgrau / light grey

1.3 Details of the supplier of the safety data sheet

Producer of the paint : Mankiewicz Gebr. & Co. (GmbH & Co. KG)
Georg-Wilhelm-Strasse 189
21107 Hamburg
Germany

Telephone : +49 (0) 40 75103 0
Telefax : +49 (0) 40 75103 375
E-mail address : sdb_info@umco.de

1.4 Emergency telephone number

Emergency telephone : +49 (0) 551 / 19240 (Toxic agent information centre North /
number NORD)

SECTION 2: Hazards identification

This article is exempt from hazard classification according to the regulation (EC) N° 1272/2008

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The information required is contained in this Material Safety Data Sheet.

SECTION 3: Composition/information on ingredients

Ingredient	Cas No.	Concentration [%]
Polyurethane Polymer	none	>= 40 - <= 100

Commercial Product Name:
ALEXIT-Topcoat E 499-ER
with ALEXIT-Härter/Hardener 400 / ALEXIT-Thinner 902-RH

Print Date: 08.02.2021

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : No need for first aid is anticipated.

In case of skin contact : No need for first aid is anticipated.

In case of eye contact : No need for first aid is anticipated.

If swallowed : No need for first aid is anticipated.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

5.3 Advice for firefighters

Special protective equipment for firefighters : Appropriate breathing apparatus may be required.

Further information : DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO ENTER DRAINS OR WATER COURSES!!

Commercial Product Name:
ALEXIT-Topcoat E 499-ER
with ALEXIT-Härter/Hardener 400 / ALEXIT-Thinner 902-RH

Print Date: 08.02.2021

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

: Not applicable

6.2 Environmental precautions

Environmental precautions : Not applicable

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Not applicable

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : This product is considered to be an article which does not release or otherwise result in exposure to hazardous chemical under normal uses conditions.

7.2 Conditions for safe storage, including any incompatibilities

No special storage requirements

7.3 Specific end use(s)

Specific use(s) : This information is not available.

Commercial Product Name:
ALEXIT-Topcoat E 499-ER
with ALEXIT-Härter/Hardener 400 / ALEXIT-Thinner 902-RH

Print Date: 08.02.2021

SECTION 8: Exposure controls/personal protection

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions. No engineering controls or personal protective equipment (PPE) are necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : solid
Colour : according product name
Odour : Not applicable

SECTION 10: Stability and reactivity

This article is considered to be non-reactive under normal uses conditions

SECTION 11: Toxicological information

No health effects are expected

SECTION 12: Ecological information

This article is expected to present a low environmental risk either because use and disposal are unlikely to result in a significant release of components to the environment or because those components that may be release are expected to have insignificant environmental impact.

SECTION 13: Disposal considerations

Product : The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

SECTION 14: Transport information

This article is not considered as Dangerous Goods.

Commercial Product Name:
ALEXIT-Topcoat E 499-ER
with ALEXIT-Härter/Hardener 400 / ALEXIT-Thinner 902-RH

Print Date: 08.02.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very : Not applicable
High Concern for Authorisation (Article 59).

Directive 2010/75/EU of : VOC content excluding water 0 %
24 November 2010 on 0 g/l
industrial emissions
(integrated pollution
prevention and control)

Other regulations : The information given in this material safety data sheet does not release the user from its duty of risk assessment and control in the work place defined in other health and safety law.
Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the mixture.

SECTION 16: Other information

Full text of H-Statements

Further information

Further information

Other information : This article data sheet complies with the requirements of regulation (EC) No 1907/2006(2015/830).

Department issuing safety data sheet

Commercial Product Name:
ALEXIT-Topcoat E 499-ER
with ALEXIT-Härter/Hardener 400 / ALEXIT-Thinner 902-RH

Print Date: 08.02.2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.