

## Pål Erik Olsen

---

**From:** Kurt Ole Jørgensen <kurt@oeeas.no>  
**Sent:** 25. mars 2013 12:37  
**To:** Pål Erik Olsen  
**Subject:** Fwd: VS: Information about quay design and loads for New Salmon Feed Factory Bjugn  
**Attachments:** image001.jpg; ATT00001..htm; image002.png; ATT00002..htm; 3221503001L site plan.pdf; ATT00003..htm; Reguleringskort for Valsneset område.pdf; ATT00004..htm

Sendt fra min iPhone

Videresendt melding:

**Fra:** "Barry Olsen" <[Barry@oeeas.no](mailto:Barry@oeeas.no)>  
**Til:** "Kurt Ole Jørgensen" <[kurt@oeeas.no](mailto:kurt@oeeas.no)>  
**Kopi:** "[Aage@klausengruppen.no](mailto:Aage@klausengruppen.no)" <[Aage@klausengruppen.no](mailto:Aage@klausengruppen.no)>  
**Emne:** VS: Information about quay design and loads for New Salmon Feed Factory Bjugn

Se på dette. Følg opp

Fra: Watts, Mick [<mailto:Mick.Watts@marineharvest.com>]  
Sendt: 22. mars 2013 12:43  
Til: Barry Olsen  
Kopi: [BS@graintec.com](mailto:BS@graintec.com); Berg, Nina Kristin  
Emne: FW: Information about quay design and loads for New Salmon Feed Factory Bjugn

Barry,

From the drawings we have looked at we have the quay positioned within the area required, this has a deviation of +/- 3 meters, due to the the lack of a digital drawing from the koimmune, so I would suggest we use this to send to obtain the necessary neighbor approval fro the quay construction and share with the commune and Reinertsen as quickly as possible so we can be ahead of the Esater holidays,  
Best regards Mick

Fra bildene vi har sett på er havnen posisjoner innen arealet som er godkjent, dette har en deviant på pluss/ minus 3 meter, pga mangel på digitale tegninger fra kommunen, så jeg vil foreslå at vi bruker dette til å sende ut ved nabovarselen for konstruksjonen av havnen. Del det med kommunen og Reinertsen så raskt som mulig, slik at det blir gjort før påsken.

From: Benny Simonsen [<mailto:BS@Graintec.com>]  
Sent: 22. mars 2013 09:01  
To: Watts, Mick  
Subject: VS: Information about quay design and loads for New Salmon Feed Factory Bjugn

FYI Mick,

I removed the big DWG file on this mail copy to you.

Venlig hilsen/Kind Regards/Saludos Cordiales  
Benny Simonsen

GRAINTEC A/S [cid:image002.png@01CE26DA.E4CA6B00]

E-mail: [bs@graintec.com](mailto:bs@graintec.com)<<mailto:bs@graintec.com>>

Phone: +45 76 436 913

Mobile : +45 40 584 082  
Skype: benny.simonsen1

General contact info and disclaimer<<http://www.graintec.com/maillsignatur/>>

DESIGN – EXECUTE – INSTALL – MAINTAIN

Fra: Benny Simonsen  
Sendt: 22. marts 2013 08:59  
Til: 'Kurt Ole Jørgensen';  
[mick.watts@marineharvest.com](mailto:mick.watts@marineharvest.com)<<mailto:mick.watts@marineharvest.com>>; Berg, Nina  
Kristin  
([Nina.Kristin.Berg@marineharvest.com](mailto:Nina.Kristin.Berg@marineharvest.com)<<mailto:Nina.Kristin.Berg@marineharvest.com>>);  
'[Aage@klausengruppen.no](mailto:Aage@klausengruppen.no)'  
Cc: Barry Olsen; Lena Beate Olsen  
Emne: Information about quay design and loads for New Salmon Feed Factory Bjugn

Dear All,

Vi have NOT been able to obtain a digital drawing of the “Reguleringsplan” for the area. This means that we cannot with high accuracy show the boundaries and lines in relation to the “reguleringsplan”.

Meanwhile if we assume that the border lines follow the lines from point 2 (green lines) out into the Valsnesfjorden then none of the planned installations will be in conflict with the “Reguleringsplan.

Please find attached the latest version of the site plan 3221503001L and also a copy of the map of the reguleringsplan.

We are likewise working on the load plan for the ship loader and the steel construction on the quay – most probably a preliminary version will be available today.

Concerning loads for mobile cranes for lift on the quay this is being evaluated.

Venlig hilsen/Kind Regards/Saludos Cordiales  
Benny Simonsen

GRAINTEC A/S [cid:image002.png@01CE26DA.E4CA6B00]

E-mail: [bs@graintec.com](mailto:bs@graintec.com)<<mailto:bs@graintec.com>>

Phone: +45 76 436 913

Mobile : +45 40 584 082  
Skype: benny.simonsen1

General contact info and disclaimer<<http://www.graintec.com/maillsignatur/>>

DESIGN – EXECUTE – INSTALL – MAINTAIN

Fra: Kurt Ole Jørgensen [<mailto:kurt@oeeas.no>]  
Sendt: 19. marts 2013 10:59  
Til: [mick.watts@marineharvest.com](mailto:mick.watts@marineharvest.com)<<mailto:mick.watts@marineharvest.com>>; Berg, Nina Kristin  
([Nina.Kristin.Berg@marineharvest.com](mailto:Nina.Kristin.Berg@marineharvest.com)<<mailto:Nina.Kristin.Berg@marineharvest.com>>);  
Benny Simonsen  
Cc: Barry Olsen; Lena Beate Olsen  
Emne: Igangsettelsessøknad (IG) Kai Bjugn

Hei

Viser til diverse mailer oversendt i dag.

Tok kontakt i går med Pål Erik Olsen som har ansvaret for IG etter at Marianne Pedersen gikk ut i permisjon. Jeg ba om status for IG.

Fikk beskjed om at han venter på en avklaring om at endelig plassering av kaien strider med reguleringsplanen.

Hvem er det som skal gi han denne avklaringen?

Den endelige plasseringen av kaien er det MH/Graintec som har stått for og jeg regner med at di kan svare på om plasseringa er i tråd med reguleringsplanen?

Som dere ser av mailene jeg har oversendt, sendte jeg søknad om ansvarsrett til Marianne 15.feb., og regnet med at dette ble tatt tak i av Reinertsen.

**DET HASTER NÅ Å FÅ DETTE PÅ PLOSS.**

Dagfinn Dybvik i Fundamentering AS ringte meg igjen i dag og spurte om vi hadde fått avklart plassering for levering av pelerør.

Han venter også på avklaringen for å slepe riggen til Bjugn.

Hvis han ikke får denne avklaringen nå må han ta en annen jobb og da kan han ikke komme til Bjugn før om 2 mnd.

Ber om at vi får klarsignal til å rigge og levere rør slik at vi ikke mister denne tiden.

Nina kan du ta dette med Mick og gi meg tilbakemelding snarest.

Mvh

Kurt

[cid:image001.[jpg@01CE26D8.A821C560](mailto:jpg@01CE26D8.A821C560)]

---

This e-mail sent from Marine Harvest Group and any attachment are confidential and may be privileged or otherwise protected from disclosure. It is solely intended for the person(s) named above. If you are not the intended recipient, any reading, use, disclosure, copying or distribution of all or parts of this e-mail or associated attachments is strictly prohibited. If you are not an intended recipient, please notify the sender immediately by replying to this message or by telephone and delete this e-mail and any attachments permanently from your system.